

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION N	O	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/820,384		04/07/2004	Joe Jumalon	P0583.14006	8460		
30615	7590	07/18/2006		EXAM	EXAMINER		
		NKE, LLP	FETSUGA, I	FETSUGA, ROBERT M			
SUITE 14	SIXTH AV 00	ENUE	ART UNIT	PAPER NUMBER			
PORTLA	ND, OR 9	97204	3751				
			DATE MAILED: 07/18/2006				

Please find below and/or attached an Office communication concerning this application or proceeding.

		Ap	plication No.	Applicant(s)					
Office Action Summary			0/820,384	JUMALON, JOE					
			aminer	Art Unit					
			bert M. Fetsuga	3751					
7 Period for R	he MAILING DATE of this communicately	ation appears	on the cover sheet with	the correspondence ac	idress				
WHICHE - Extension after SIX - If NO per - Failure to Any reply	TENED STATUTORY PERIOD FOR EVER IS LONGER, FROM THE MAINS of time may be available under the provisions of (6) MONTHS from the mailing date of this communion for reply is specified above, the maximum staturely within the set or extended period for reply will received by the Office later than three months after that there adjustment. See 37 CFR 1.704(b).	LING DATE 37 CFR 1.136(a). ication. tory period will ap II, by statute, caus	OF THIS COMMUNICA In no event, however, may a repli ply and will expire SIX (6) MONTH e the application to become ABAN	TION. y be timely filed S from the mailing date of this o DONED (35 U.S.C. § 133).					
Status									
1)⊠ Re	esponsive to communication(s) filed	on <i>10 Mav 2</i>	2006.						
•	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.								
/ <del></del>	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is								
•	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.								
Disposition	of Claims								
4)⊠ Cl	4)⊠ Claim(s) <u>4-7,9 and 26-37</u> is/are pending in the application.								
	4a) Of the above claim(s) is/are withdrawn from consideration.								
5)∭ Cl	☐ Claim(s) is/are allowed.								
6)⊠ Cl	Claim(s) <u>4-7,9 and 26-37</u> is/are rejected.								
7)∐ Cl									
8) <u></u> Cl	aim(s) are subject to restriction	on and/or ele	ection requirement.	•					
Application	Papers								
9)⊠ Th	e specification is objected to by the	Examiner.							
10)⊠ Th	e drawing(s) filed on <u>10 May 2006</u> is	s/are: a)⊟ a	ccepted or b)  objecte	d to by the Examiner.					
Ap	plicant may not request that any objection	on to the draw	ving(s) be held in abeyance	e. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).									
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
Priority und	er 35 U.S.C. § 119								
a)	knowledgment is made of a claim fo All b)☐ Some * c)☐ None of:			19(a)-(d) or (f).					
	1. Certified copies of the priority documents have been received.								
	2. Certified copies of the priority documents have been received in Application No								
3.	3. Copies of the certified copies of the priority documents have been received in this National Stage								
application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.									
000	the attached actained emice action			0011001					
Attachment(s)			_						
	References Cited (PTO-892)	2.040		nmary (PTO-413)					
3) X Informati	Draftsperson's Patent Drawing Review (PTG on Disclosure Statement(s) (PTO-1449 or P o(s)/Mail Date <u>05/10/06</u> .			Mail Date rmal Patent Application (PT	O-152)				

Art Unit: 3751

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "kitchen counter assembly" set forth in claims 9, 32 and 37 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required

Application/Control Number: 10/820,384

Art Unit: 3751

corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Page 3

- 2. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: Proper antecedent basis for the "kitchen counter assembly" set forth in claims 9, 32 and 37 could not be found in the specification. Applicant is reminded claim terminology in mechanical cases should appear in the descriptive portion of the specification by reference to the drawing(s).
- 3. Claims 33-37 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for a panel secured in a recess by an attachment member (fastener), does not reasonably provide enablement for securement only in a recess. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims.
- 4. Claim 7 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Art Unit: 3751

The claim is unclear as to the relationship between the "bolt" on line 2 thereof, and the "fastener" on line 6 of claim 26.

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 4-7, 9 and 26-37 are rejected under 35 U.S.C. 102(b) as being anticipated by Smith.

The Smith reference discloses a sink comprising: a top surface including a basin 20; an apron 10,22 including a hole (Fig. 5 at 14) and a recess (receiving 14,38); a panel 14,38 including a decoration (knobs); and a bolt (illustrated, Fig. 5) as claimed. Re claim 32, the Smith sink is considered to

Application/Control Number: 10/820,384

Art Unit: 3751

comprise a "kitchen counter assembly" in the same sense as with applicant's disclosed invention.

- 7. Applicant is referred to MPEP 714.02 and 608.01(o) in responding to this Office action.
- 8. Any inquiry concerning this communication should be directed to Robert M. Fetsuga at telephone number 571/272-4886 who can be most easily reached Monday through Thursday. The Office central fax number is 571/273-8300.

Robert M. Fetsuga Primary Examiner Page 5

Art Unit 3751